

# Scorecard for Purebred and Percentage Animals

<b>GENERAL APPEARANCE</b>	<b>TOTAL POINTS</b>	<b>DOES 40</b>	<b>BUCKS 40</b>
<p><b>Quality and condition</b></p> <ul style="list-style-type: none"> <li>- Deep bodied, well-muscled with a smooth even covering of firm flesh and showing vigour. Strong bone, healthy hair, loose and pliable skin.</li> <li>- Graceful and powerful walk with impressive style. Back should be wide, straight and nearly level.</li> <li>- Does should be feminine and have a well-defined wedge shaped body when viewed from the side.</li> <li>- Bucks should be masculine. Colour should be traditional colouration consisting of white body with reddish brown on both sides of the head, the colour patch being a minimum of 10cm across in any direction.</li> <li>- Ears should be 75% reddish brown; reddish brown may extend as far as the withers and brisket; body may have a reddish brown mark not exceeding 15cm across in any direction. Hairless areas must be 75% pigmented.</li> </ul> <p><i>Note: colour and pigmentation are only to be given a maximum of one point each within this section.)</i></p>		20	20
<p><b>Breed character</b></p> <ul style="list-style-type: none"> <li>- Head &amp; neck: convex profile with a roman nose and pendulous ears of sufficient length and lying flat against the head, not interfering with the eyes.</li> <li>- Head must be medium length, strong and feminine (masculine) in appearance.</li> <li>- Muzzle broad with large, open nostrils.</li> <li>- Jaw strong, even and correctly aligned with bite neither undershot nor overshot.</li> <li>- Eyes full and bright, forehead wide.</li> <li>- Horns, if present, should be round and curving to rear and out enough to allow head movement without the horns excessively rubbing the neck.</li> <li>- The curve of the horns should follow the convex profile of the face.</li> <li>- Dehorned animals shall not be penalized.</li> <li>- Neck should be proportional to body size and thick at base, blending smoothly into shoulders and brisket.</li> </ul>		10	10
<p><b>Size and development</b></p> <ul style="list-style-type: none"> <li>- According to age, preference given to animals showing superior growth and muscle development without soft fleshing.</li> </ul>		10	10

<b>FORE QUARTERS</b>	<b>TOTAL POINTS</b>	<b>DOES 15</b>	<b>BUCKS 15</b>
<b>Shoulders</b>		4	4
- Strong and well-muscled with even covering of firm flesh; shoulder blades set smoothly against chest wall and withers.			
<b>Withers</b>		4	4
- Slightly rounded and barely defined with even flesh covering; blending smoothly into the area of the chine.			
<b>Brisket</b>		3	3
- Broad, deep, muscular and firm.			
<b>Forelegs</b>		4	4
- Medium in length, wide apart, squarely set, straight with strong bones.			
- Adequately proportioned to support weight; feet sound, short, wide and pointed forward with a deep heel, level sole and closed toes.			
- Strong pasterns are a must.			

<b>BODY</b>	<b>TOTAL POINTS</b>	<b>DOES 15</b>	<b>BUCKS 20</b>
<b>Heart girth</b>		3	5
- Large heart girth resulting from long, well sprung (wide, flat, long and widely spaced) fore ribs; wide muscular chest floor between front legs; fullness at point of elbow, thus providing ample respiratory capacity.			
<b>Barrel</b>		4	5
- Uniformly long, deep and broad thus providing ample digestive capacity.			
<b>Back</b>		4	5
- Broad and strong with even covering of smooth, firm flesh.			
- Topline strong, straight and nearly level.			
<b>Loin</b>		4	5
- Well-muscled, wide, long and thick.			

<b>HIND QUARTERS</b>	<b>TOTAL POINTS</b>	<b>DOES 15</b>	<b>BUCKS 20</b>
<b>Rump</b>		5	5
- Long, broad and slightly sloping with smooth even covering of flesh.			
- Hips wide apart and level with back.			
- Thurls wide apart and nearly level from thurl to thurl.			
- Pins wide apart and lower than hips. Tail head slightly above and neatly set between pin bones.			
- Tail symmetrical with body.			
<b>Twist and thighs</b>		5	5
- Twist deep, full and firm. Escutcheon low and wide.			
- Thighs deep, wide, muscular and firm.			
<b>Hind legs</b>		5	10
- Medium length; wide apart and nearly straight when viewed from the rear, nearly perpendicular from hock to pastern when viewed from side.			
- Hocks wide apart when viewed from rear and showing correct angulation when viewed from side. Bones strong and adequately proportioned to support weight. Strong pasterns are a must. Feet sound, short, wide and pointed forward with a deep heel, level sole and closed toes.			

<b>MAMMARY/REPRODUCTIVE SYSTEM</b>		<b>DOES</b>	<b>BUCKS</b>
		<b>15</b>	<b>5</b>
<b>Udder condition and capacity</b>		5	0
-	Long, wide, extending well forward and showing adequate capacity without exaggerated size. Pliable and elastic, free of scar tissue, well collapsed when empty or dry.		
<b>Udder attachment</b>		5	0
-	In the fore area carried well forward, tightly attached without pocket; blending smoothly into body. In the rear area high, wide and strong; udder halves evenly divided and symmetrical with strong medial suspensory ligament.		
<b>Teats</b>		5	2
-	A doe must have teats of desired length and size for nursing; well defined.		
-	Doe's and buck's teats must be free from obstruction; squarely and properly placed. Maximum of two teats per side.		
-	Teats must be totally separated and functional.		
<b>Scrotum</b>		0	3
-	A buck must have two firm, fully descended testicles of similar size with a maximum scrotal split of 2.4cm/1 in. on a mature buck.		
<b>TOTAL POINTS: ALL SECTIONS</b>		<b>100</b>	<b>100</b>

## **List of Disqualifications (Revised May 2003)**

- Misalignment of jaws; overshot or undershot more than 5mm
- Total blindness
- Crooked face (wry face)
- Dish face (concave)
- Disfiguring malocclusion (very crooked teeth)
- Helicopter, gopher, elf or erect ears (not a disqualification in percentage animals)
- Serious emaciation
- Lameness (if due to recent injury must be cleared by Health Check Committee)
- Hermaphroditism (displaying characteristics of the opposite gender)
- Teats that are joined or partially joined, including double teats, fish teats and cluster teats
- Bucks with only one testicle or with abnormal testicles